



UNIVERSITEIT•STELLENBOSCH•UNIVERSITY
jou kennisvennoot • your knowledge partner

usbib

Bibliographic style for University of Stellenbosch Theses and
Dissertations*

Danie Els

dnjels@sun.ac.za

DEPARTMENT OF MECHANICAL ENGINEERING,
UNIVERSITY OF STELLENBOSCH,
PRIVATE BAG X1, MATIELAND, 7602.

2009/03/07

Abstract

usbib is a L^AT_EX and BIB^IT_EX package for the formatting of bibliographic references of theses and dissertations of the Department of Mechanical Engineering at the University of Stellenbosch.

This package is tailored towards citations and bibliographical formatting for the natural sciences and engineering.

*Version 1.0

Contents

1 The <code>usbib</code> package	3
1.1 BIB _{TEX} format files	3
1.2 Loading the <code>usbib</code> package	3
1.3 Options that can be added to <code>usbib</code>	3
1.4 Language support	4
2 Citation Commands	4
2.1 Basic commands	4
2.2 Multiple citations	4
2.3 Numerical mode	5
2.4 Suppressed parentheses	5
2.5 Partial citations	5
2.6 Forcing upper cased names	5
3 Additional User Formatting Commands	6
4 BIB_{TEX} Entries	7
4.1 Entry Types	8
4.2 Fields	13

1 The **usbib** package

1.1 BIB_TE_X format files

The **usbib** package provides three bibliographic style files:

- usmeg-a.bst**¹: This is an author-year (Harvard) citation style based on the traditional bibliographic format of the Department of Mechanical Engineering of the University of Stellenbosch. The bibliographic entries are sorted alphabetically.
- usmeg-n.bst**: This is a numerical citation style based on the traditional bibliographic format of the Department of Mechanical Engineering of the US. The bibliographic entries are sorted in citation order.
- ussagus.bst**: This is an author-year (Harvard) citation style which attempts to conform to the SAGUS² style. The bibliographic entries are sorted alphabetically.

1.2 Loading the **usbib** package

The citation styles and BIB_TE_X formatting are loaded by including the following commands in your main document preamble and at the bibliography position:

```
\documentclass[<options>]{<LATEX class>}
:
\usepackage[<natbib opt>]{usbib}
\bibliographystyle{usmeg-a}% or usmeg-n or ussagus
\begin{document}
:
\bibliography{<BIBTEx file>}
\end{document}
```

1.3 Options that can be added to **usbib**

usbib uses the **natbib** package internally and all the options are passed to **natbib**. Please read the **natbib** documentation if you need different formatting options (e.g. with **\bibpunct**).

- authoryear**: For author–year citations (default).
- numbers**: For numerical citations.
- super**: For superscripted numerical citations, as in *Nature*.
- sort**: Orders multiple citations into the sequence in which they appear in the list of references.
- sort&compress**: As **sort** but in addition multiple numerical citations are compressed if possible (as 3–6, 15).
- longnamesfirst**: Makes the first citation of any reference the equivalent of the starred variant (full author list) and subsequent citations normal (abbreviated list).

¹The format for examples in this document.

²Cilliers, L. (2002). *Referencing Methods: Harvard*. SAGUS, University of Stellenbosch.

sectionbib: Redefines `\thebibliography` to issue `\section*` instead of `\chapter*`; valid only for classes with a `\chapter` command; to be used with the `chapterbib` package.

1.4 Language support

The `usbib` package supports English and/or Afrikaans output. language definition files, `usbib.afr` and `usbib.eng`, are used by `usbib`. The user can edit this files if needed. The language setup of a document is set with the `babel` package. It is best to set language option global. For Afrikaans:

```
\documentclass[<class opts>,afrikaans]{LATEX class}
\usepackage{babel}
\usepackage[<natbib opt>]{usbib}
```

For a bilingual document, Afrikaans default:

```
\documentclass[<class opts>,UKenglish,afrikaans]{LATEX class}
:
```

or English default:

```
\documentclass[<class opts>,afrikaans,UKenglish]{LATEX class}
:
```

The last language declared is the main document language. See the `babel` documentation on how to switch between languages.

\AorE The command `\AorE{Afrikaans teks}{English text}` is provided that types the specific language text depending on whether Afrikaans was selected as the current active language or not.

2 Citation Commands

2.1 Basic commands

`usbib` uses the `natbib` package internally. It has two basic citation commands, `\citet` and `\citep` for *textual* and *parenthetical* citations, respectively. There also exist the starred versions `\citet*` and `\citep*` that print the full author list, and not just the abbreviated one. All of these may take one or two optional arguments to add some text before and after the citation.

<code>\citet{jon90}</code>	⇒ Jones <i>et al.</i> (1990)
<code>\citet[chap.^2]{jon90}</code>	⇒ Jones <i>et al.</i> (1990, chap. 2)
<code>\citep{jon90}</code>	⇒ (Jones <i>et al.</i> , 1990)
<code>\citep[chap.^2]{jon90}</code>	⇒ (Jones <i>et al.</i> , 1990, chap. 2)
<code>\citep[see][]{jon90}</code>	⇒ (see Jones <i>et al.</i> , 1990)
<code>\citep[see][chap.^2]{jon90}</code>	⇒ (see Jones <i>et al.</i> , 1990, chap. 2)
<code>\citet*[jon90]</code>	⇒ Jones, Baker and Williams (1990)
<code>\citep*[jon90]</code>	⇒ (Jones, Baker and Williams, 1990)

2.2 Multiple citations

Multiple citations may be made by including more than one citation key in the `\cite` command argument.

<code>\citet{jon90,jam93}</code>	\Rightarrow Jones <i>et al.</i> (1990); James <i>et al.</i> (1993)
<code>\citep{jon90,jam93}</code>	\Rightarrow (Jones <i>et al.</i> , 1990; James <i>et al.</i> , 1993)
<code>\citep{jon90,jon92}</code>	\Rightarrow (Jones <i>et al.</i> , 1990, 1992)
<code>\citep{jon91a,jon91b}</code>	\Rightarrow (Jones <i>et al.</i> , 1991 <i>a,b</i>)

2.3 Numerical mode

These examples are for author–year citation mode. In numerical mode, the results are different.

<code>\citet{jon90}</code>	\Rightarrow Jones <i>et al.</i> [21]
<code>\citet[chap.^2]{jon90}</code>	\Rightarrow Jones <i>et al.</i> [21, chap. 2]
<code>\citep{jon90}</code>	\Rightarrow [21]
<code>\citep[chap.^2]{jon90}</code>	\Rightarrow [21, chap. 2]
<code>\citep[see][]{jon90}</code>	\Rightarrow [see 21]
<code>\citep[see][chap.^2]{jon90}</code>	\Rightarrow [see 21, chap. 2]
<code>\citep{jon91a,jon91b}</code>	\Rightarrow [24, 32]

2.4 Suppressed parentheses

As an alternative form of citation, `\citealt` is the same as `\citet` but *without parentheses*. Similarly, `\citealp` is `\citep` without parentheses. Multiple references, notes, and the starred variants also exist.

<code>\citealt{jon90}</code>	\Rightarrow Jones <i>et al.</i> 1990
<code>\citealt*{jon90}</code>	\Rightarrow Jones, Baker and Williams 1990
<code>\citealp{jon90}</code>	\Rightarrow Jones <i>et al.</i> , 1990
<code>\citealp*{jon90}</code>	\Rightarrow Jones, Baker and Williams, 1990
<code>\citealp{jon90,jam91}</code>	\Rightarrow Jones <i>et al.</i> , 1990; James <i>et al.</i> , 1993
<code>\citealp[pg.^32]{jon90}</code>	\Rightarrow Jones <i>et al.</i> , 1990, pg. 32
<code>\citetext{priv.\ comm.}</code>	\Rightarrow (priv. comm.)

The `\citetext` command allows arbitrary text to be placed in the current citation parentheses. This may be used in combination with `\citealp`.

2.5 Partial citations

In author–year schemes, it is sometimes desirable to be able to refer to the authors without the year, or vice versa. This is provided with the extra commands

<code>\citeauthor{jon90}</code>	\Rightarrow Jones <i>et al.</i>
<code>\citeauthor*{jon90}</code>	\Rightarrow Jones, Baker and Williams
<code>\citeyear{jon90}</code>	\Rightarrow 1990
<code>\citeyearpar{jon90}</code>	\Rightarrow (1990)

2.6 Forcing upper cased names

If the first author’s name contains a *von* part, such as “della Robbia”, then `\citet{dRob98}` produces “della Robbia (1998)”, even at the beginning of a sentence. One can force the first letter to be in upper case with the command `\Citet` instead. Other upper case commands also exist.

when \citet{dRob98}	⇒ della Robbia (1998)
then \Citet{dRob98}	⇒ Della Robbia (1998)
\Citep{dRob98}	⇒ (Della Robbia, 1998)
\Citealt{dRob98}	⇒ Della Robbia 1998
\Citealp{dRob98}	⇒ Della Robbia, 1998
\Citeauthor{dRob98}	⇒ Della Robbia

These commands also exist in starred versions for full author names.

3 Additional User Formatting Commands

\BIBand: In the list of authors (or editors) the last author is normally separated from the rest of the authors with the word “and” or with an ampersand ($\&$). For example to use an ”and” inside the bibliography and an ampersand in the citation, add to the document preamble:

```
\AtBeginDocument{%
    \renewcommand*{\BIBand}{%
        \InBibliography{\AorE{en}{and}}{\textit{\&}}}}%
```

\bibsection: The list of references normally appears as a \section* or \chapter*, depending on the main class. If one wants to redesign one’s own heading, say as a numbered section with \section, then \bibsection may be redefined by the user accordingly. For example to add the line “Bibliography” to the Table of contents in a book or report class, add to the document preamble:

```
\renewcommand{\bibsection}{%
    \chapter*{\bibname%
        \markboth{\bibname}{\bibname}%
        \addcontentsline{toc}{chapter}{\bibname}}}
```

and for an article

```
\renewcommand{\bibsection}{%
    \section*{\refname%
        \markboth{\refname}{\refname}%
        \addcontentsline{toc}{section}{\refname}}}
```

\bibpreamble: A preamble appearing after the \bibsection heading may be inserted before the actual list of references by defining \bibpreamble. This will appear in the normal text font unless it contains font declarations. The \bibfont applies to the list of references, not to this preamble.

\bibfont: The list of references is normally printed in the same font size and style as the main body. However, it is possible to define \bibfont to be font commands that are in effect within the thebibliography environment after any preamble. For example,

```
\newcommand{\bibfont}{\small}
```

\bibnamefont: The format of an author’s surname in the reference list may be may be printed in a different font by redefining \bibnamefont. Define \bibnamefont to be a font declaration like \scshape or even a command taking arguments like \textsc. For example to obtain, e.g.: JONES:

```

\renewcommand{\bibnamefont}[1]{\textsc{#1}}
\bfnamefont: The format of an author's first names in the reference list may
be printed in a different font by redefining \bfnamefont.
\citenamefont: Author names in citations may be printed in a different font
by redefining \citenamefont.
\citenumfont: Numerical citations may be printed in a different font. Define
\citenumfont to be a font declaration like \itshape or even a command
taking arguments like \textit.
\newcommand{\citenumfont}[1]{\textit{#1}}
The above is better than \itshape since it automatically adds italic
correction.
\bibnumfmt: The format of the numerical listing in the reference list may also
be changed from the default [32] by redefining \bibnumfmt, for example
\renewcommand{\bibnumfmt}[1]{\textbf{#1}:}
to achieve 32: instead.
\bibhang: The list of references for author-year styles uses a hanging indent-
ation format: the first line of each reference is flush left, the following
lines are set with an indentation from the left margin. This indentation
is 1 em by default but may be changed by redefining (with \setlength)
the length parameter \bibhang.
\bibsep: The vertical spacing between references in the list, whether author-
year or numerical, is controlled by the length \bibsep. If this is set to
0 pt, there is no extra line spacing between references. The default spa-
cing depends on the font size selected in \documentclass, and is almost
a full blank line. Change this by redefining \bibsep with \setlength
command.

```

4 BIBTEX Entries

References to different types of publications contain different information; a reference to a journal article might include the volume and number of the journal, which is usually not meaningful for a book. Therefore, database entries of different types have different fields. For each entry type, the fields are divided into three classes:

required Omitting the field will produce a warning message and, rarely, a badly formatted bibliography entry. If the required information is not meaningful, you are using the wrong entry type. However, if the required information is meaningful but, say, already included in some other field, simply ignore the warning.

optional The field's information will be used if present, but can be omitted without causing any formatting problems. You should include the optional field if it will help the reader.

ignored The field is ignored. BIBTEX ignores any field that is not required or optional, so you can include any fields you want in a `bib` file entry. It's a good idea to put all relevant information about a reference in its `bib` file entry—even information that may never appear in the bibliography. For

example, if you want to keep an abstract of a paper in a computer file, put it in an `abstract` field in the paper's `bib` file entry. The `bib` file is likely to be as good a place as any for the abstract, and it is possible to design a bibliography style for printing selected abstracts. Note: Misspelling a field name will result in its being ignored, so watch out for typos (especially for optional fields, since `BIBTEX` won't warn you when those are missing).

4.1 Entry Types

The following are the standard entry types, along with their required and optional fields, that are used by the standard bibliography styles. The fields within each class (required or optional) are listed in order of occurrence in the output, except that a few entry types may perturb the order slightly, depending on what fields are missing. The meanings of the individual fields are explained in the next section.

Article: An article from a journal or magazine.

Required fields: `author`, `title`, `journal`, `year`.

Optional fields: `volume`, `number`, `pages`, `month`, `note`.

Database entry:

```
@article{Lin:1997,
    author      = {Lin, X. and Ng, T. T.},
    title       = {A Three-Dimensional Discrete Element Model Using
                  Arrays of Ellipsoids},
    journal     = {G\'eotechnique},
    volume      = {47},
    number      = {2},
    year        = {1997},
    pages       = {319--329}}
```

Bibliography entry:

Lin, X. and Ng, T.T. (1997). A three-dimensional discrete element model using arrays of ellipsoids. *Géotechnique*, vol. 47, no. 2, pp. 319–329.

Book: A book with an explicit publisher.

Required fields: `author` or `editor`, `title`, `publisher`, `year`.

Optional fields: `volume` or `number`, `series`, `address`, `edition`, `month`, `note`, `isbn`.

Database entry:

```
@string{pub-CUP      = {Cambridge University Press}}
@string{pub-CUP:adr = {Cambridge, UK}>

@book{Press:1997,
    author      = {Press, W. H. and Teukolsky, S. A.
                  and Vetterling, W. T. and Flannery, B. P.},
    title       = {Numerical Recipes in C, The art of Scientific Computing},
    edition     = {Second},
    publisher   = {pub-CUP},
    address     = {pub-CUP:adr},
    year        = {1997}}
```

```
@book{Chapman:1961,
    author      = {Chapman, W.A.J.},
    title       = {Workshop Technology, {\rmfamily Part III}},
    publisher   = {Edward Arnold},
    address     = {London},
    year        = {1961},
    edition     = {2}}
```

Bibliography entry:

Press, W.H., Teukolsky, S.A., Vetterling, W.T. and Flannery, B.P. (1997). *Numerical Recipes in C, The art of Scientific Computing.* 2nd edn. Cambridge University Press, Cambridge, UK.

Chapman, W. (1961). *Workshop Technology, Part III.* 2nd edn. Edward Arnold, London.

Booklet: A work that is printed and bound, but without a named publisher or sponsoring institution.

Required field: title.

Optional fields: author, howpublished, address, month, year, note.

Database entry:

```
@booklet{Urban:1986,
    author      = {Urban, M.},
    title       = {An Introduction to {\LaTeX}},
    howpublished = {Prepared for the TRW Software Productivity Project;
                    reprinted with permission and distributed by TUG},
    year        = {1986}}
```

Bibliography entry:

Urban, M. (1986). An introduction to L^AT_EX. Prepared for the TRW Software Productivity Project; reprinted with permission and distributed by TUG.

Conference: The same as Inproceedings.

Inbook: A part of a book, which may be a chapter (or section or whatever) and/or a range of pages.

Required fields: author or editor, title, chapter and/or pages, publisher, year.

Optional fields: volume or number, series, type, address, edition, month, note.

Database entry:

```
@inbook{Meirovitch:1970,
    author      = {Meirovitch, L.},
    title       = {Methods of Analytical Dynamics},
    publisher   = {McGraw-Hill},
    address     = {New York},
    year        = {1970},
    chapter     = {4}}
```

Bibliography entry:

Meirovitch, L. (1970). *Methods of Analytical Dynamics*, chap. 4. McGraw-Hill, New York.

Incollection: A part of a book having its own title.

Required fields: author, title, booktitle, publisher, year.

Optional fields: editor, volume or number, series, type, chapter, pages, address, edition, month, note.

Database entry:

```
@incollection{Immer:1978,
    author      = {Immer, J. R.},
    editor      = {Baumeister, T. and Avallone, E. A. and
                  Baumeister, III, T.},
    title       = {Industrial plants},
    booktitle   = {Marks' Standard Handbook for Mechanical Engineers},
    publisher   = {McGraw-Hill},
    address     = {New York},
    year        = {1978},
    edition     = {8},
    chapter     = {12}}
```

Bibliography entry:

```
Immer, J.R. (1978). Industrial plants. In: Baumeister, T., Avallone, E.A. and
Baumeister, III, T. (eds.), Marks' Standard Handbook for Mechanical Engineers,
8th edn, chap. 12. McGraw-Hill, New York.
```

Inproceedings: An article in a conference proceedings.

Required fields: author, title, booktitle, year.

Optional fields: editor, volume or number, series, pages, address, month, organization, publisher, note.

Database entry:

```
@inproceedings{Luding:1998,
    author      = {Luding, S.},
    title       = {Collisions and contact between two particles},
    booktitle   = {Physics of Dry Granular Media},
    editor      = {Herrmann, H.J. and Hovi, J.-P. and Luding, S.},
    publisher   = {Kluwer Academic Publishers},
    address     = {Dordrecht},
    year        = {1998},
    volume      = {350},
    series      = {NATO ASI Series E},
    pages       = {20--30},
    isbn        = {0-7923-5102-9}}
```

Bibliography entry:

```
Luding, S. (1998). Collisions and contact between two particles. In: Herrmann,
H., Hovi, J.-P. and Luding, S. (eds.), Physics of Dry Granular Media, vol. 350 of
NATO ASI Series E, pp. 20–30. Kluwer Academic Publishers, Dordrecht. ISBN
0-7923-5102-9.
```

Manual: Technical documentation.

Required fields: title.

Optional fields: author, organization, address, edition, month, year, note.

Database entry:

```

@manual{PFC2D:1999,
    key      = {PFC$^{\mathrm{2D}}$ User Manual},
    title    = {Theory and Background, Version 2.0},
    organization = {Itasca},
    year     = {1999} }

@manual{GEC:1987,
    key      = {GEC},
    title    = {General Electric Fluid Flow Data Book},
    organization = {General Electric Co.},
    address   = {Schenectady, N.Y.},
    year     = {1987} }

```

Bibliography entry:

PFC^{2D} User Manual (1999). *Theory and Background, Version 2.0*. Itasca.

GEC (1987). *General Electric Fluid Flow Data Book*. General Electric Co., Schenectady, N.Y.

Mastersthesis: A Master's thesis.

Required fields: author, title, school, year.

Optional fields: type, address, month, note.

Database entry:

```

@mastersthesis{Coetzee:2000,
    author      = {Coetzee, C. J.},
    title       = {Forced Granular Flow},
    school      = {Mechanical Engineering, University of Stellenbosch},
    address     = {Stellenbosch, South Africa},
    year        = {2000} }

```

Bibliography entry:

Coetzee, C.J. (2000). *Forced Granular Flow*. Master's thesis, Mechanical Engineering, University of Stellenbosch, Stellenbosch, South Africa.

Misc: Use this type when nothing else fits.

Required fields: none.

Optional fields: author, title, howpublished, month, year, note.

Database entry:

```

@misc{Lourens:2001,
    author      = {Lourens, A.},
    year        = {2001},
    howpublished = {Personal Interview},
    month       = jan # {~5},
    note        = {Stellenbosch} }

@misc{MSN:1999,
    key         = {MSN Gaming Zone {[Online]}},
    year        = {1999},
    howpublished = {Available at: \url{http://www.zone.com}, [2001, March 22]}}

```

Bibliography entry:

Lourens, A. (2001 January 5). Personal Interview. Stellenbosch.

MSN Gaming Zone [Online] (1999). Available at: <http://www.zone.com>, [2001, March 22].

Phdthesis: A PhD thesis (see masters thesis).

Required fields: author, title, school, year.

Optional fields: type, address, month, note.

Proceedings: The proceedings of a conference.

Required fields: title, year.

Optional fields: editor, volume or number, series, address, month, organization, publisher, note.

Database entry:

```
@proceedings{Herrmann:1998,
  editor    = {Herrmann, H. J. and Hovi, J.-P. and Luding, S},
  title     = {Physics of Dry Granular Media},
  booktitle = {Physics of Dry Granular Media},
  publisher = {Kluwer Academic Publishers},
  address   = {Dordrecht},
  year      = {1998},
  volume    = {350},
  series    = {NATO ASI Series E},
  isbn      = {0-7923-5102-9}}
```

Bibliography entry:

Herrmann, H.J., Hovi, J.-P. and Luding, S. (eds.) (1998). *Physics of Dry Granular Media*, vol. 350 of *NATO ASI Series E*. Kluwer Academic Publishers, Dordrecht. ISBN 0-7923-5102-9.

Techreport: A report published by a school or other institution, usually numbered within a series.

Required fields: author, title, institution, year.

Optional fields: type, number, address, month, note.

Database entry:

```
@techreport{Bajura:1973,
  author     = {Bajura, R. A. and Le Rose, V. F. and Williams, L. E.},
  title      = {Fluid Distribution in Combining, Dividing and
               Reverse Flow Manifolds},
  institution = {ASME},
  year       = {1973},
  type       = {Paper},
  number     = {73-PWR-1}}
```

Bibliography entry:

Bajura, R.A., Le Rose, V.F. and Williams, L.E. (1973). Fluid distribution in combining, dividing and reverse flow manifolds. Paper 73-PWR-1, ASME.

Unpublished: A document having an author and title, but not formally published.

Required fields: **author, title, note.**

Optional fields: **month, year.**

Database entry:

```
@unpublished{Els:2003,
    author      = {Els, D. N. J.},
    year       = {2003},
    month      = Feb,
    title      = {Gear Design},
    note       = {Class notes (Machine Design 314)},
    url        = {http://sun.ac.za/mecheng/MD314}}
```

Bibliography entry:

```
Els, D.N.J. (2003 February). Gear design. Class notes (Machine Design 314).
Available at: http://sun.ac.za/mecheng/MD314
```

In addition to the fields listed above, each entry type also has an optional **key** field, used in some styles for alphabetizing, for cross referencing, or for forming a \bitem label. You should include a **key** field for any entry whose “author” information is missing; the “author” information is usually the **author** field, but for some entry types it can be the **editor** or even the **organization** field. Do not confuse the **key** field with the key that appears in the \cite command and at the beginning of the database entry.

With the **usbib** styles, each entry type also has an optional **url** field for online documents.

4.2 Fields

Below is a description of all fields recognized by the standard bibliography styles. An entry can also contain other fields, which are ignored by those styles.

address: Usually the address of the **publisher** or other type of institution.

For small publishers you can help the reader by giving the complete address.

annotate: An annotation. It is not used by the **usbib** bibliography style, but may be used by others that produce an annotated bibliography.

author: The name(s) of the author(s). The author names may be typed in either in the form {First von Last} or as {von Last, Jr., First}. The latter is the preferred and safest method.

In the **usbib** bibliography style the following formats are obtained:

```
author={Smith, John Peter}      ⇒ Smith, J.P.
author={Smith, J. P.}           ⇒ Smith, J.P.
author={Smith, J P}             ⇒ Smith, J.P.
```

Note that initials must be separated with spaces. Double surnames (containing a “von” part) and compound names are handled correctly:

```
author={de Witt, Nico-Ben}     ⇒ de Witt, N.-B.
author={de Witt, N.-B.}         ⇒ de Witt, N.-B.
```

If the name contains a “Junior” or other addition:

```

author={Ford, Jr, Henry}      ⇒ Ford, Jr, H.
author={{Ford Jr}, H.}        ⇒ Ford Jr, H.
author={Ford, III, H.}        ⇒ Ford, III, H.

```

Anything enclosed in braces will be treated as a single item:

```
author={{Harvy and Sons, Ltd}} ⇒ Harvy and Sons, Ltd
```

If the author field contains more than one name it must be separated with the word **and**. For example,

```

author={Smith, J. and Jones,. H. and Doe, J.}
                           ⇒ Smith, J., Jones,. H. & Doe, J.

```

Anonymous authors can be inserted with

```
author={Anon.}                  ⇒ Anon.
```

booktitle: Title of a book, part of which is being cited. For book entries, use the **title** field instead.

chapter: A chapter (or section or whatever) number.

crossref The database key of the entry being cross referenced.

Database entry:

```

@inproceedings{Liffmann:1997,
    crossref     = {Behringer:1997},
    author       = {Liffmann, K. and Metcalfe, G. and Cleary, P. W.},
    title        = {Convection due to horizontal shaking},
    pages        = {405--408}

@proceedings{Behringer:1997,
    editor       = {Behringer, R. P. and Jenkins, J. T. },
    title        = {Powders & Grains 97},
    booktitle    = {Powders & Grains 97},
    publisher    = {Balkema},
    address      = {Rotterdam},
    year         = {1997}}

```

Bibliography entry:

```
Liffmann, K., Metcalfe, G. and Cleary, P.W. (1997). Convection due to
horizontal shaking. In: Behringer, R.P. and Jenkins, J.T. (eds.), Powders
& Grains 97, pp. 405–408. Balkema, Rotterdam.
```

edition: The edition of a book—for example, “Second”. This should be an ordinal, and should have the first letter capitalized, as shown here; the standard styles convert to lower case when necessary.

In the **usbib** style the edition is formatted as:

```

edition = {2},           ⇒ 2nd edn.
edition = {2nd},          ⇒ 2nd edn.
edition = {Second},       ⇒ 2nd edn.

```

editor: Name(s) of editor(s). Same formatting as for authors. If there is also an **author** field, then the **editor** field gives the editor of the book or collection in which the reference appears.

howpublished: How something strange has been published. The first word should be capitalized.

institution: The sponsoring institution of a technical report.

ISBN: For the ISBN number in books. This is not standard but is supplied by `usbib`.

ISSN: For the ISSN number in periodicals. This is not standard but is supplied by `usbib`.

journal: A journal name. Abbreviations can be provided for frequently cited journals

```
@string{JFD={Journal of Fluid Dynamics}}
journal = JFD,
```

key: Used for alphabetizing, cross referencing, and creating a label when the “author” information is missing. This field should not be confused with the key that appears in the `\cite` command and at the beginning of the database entry.

month: The month in which the work was published or, for an unpublished work, in which it was written. You should use the standard three-letter abbreviation, `jan`, `feb`, ..., etc. for language specific bibliographies.

```
month = jan,
month = may # {^5}
```

Not that the `#` symbols concatenate the strings.

note: Any additional information that can help the reader. The first word should be capitalized.

It can also be used to include detail URL's with the `\url` command, for example:

```
note = {Available: \url{http://learn.sun.ac.za}. [2003, Feb 1]}
```

number: The number of a journal, magazine, technical report, or of a work in a series. An issue of a journal or magazine is usually identified by its volume and number; the organization that issues a technical report usually gives it a number; and sometimes books are given numbers in a named series.

organization: The organization that sponsors a conference or that publishes a manual.

pages: One or more page numbers or range of numbers, such as `42--111` or `7,41,73--97` or `43+` (the ‘`+`’ in this last example indicates pages following that don't form a simple range).

publisher: The publisher's name.

school: The name of the school where a thesis was written.

series: The name of a series or set of books. When citing an entire book, the the `title` field gives its title and an optional `series` field gives the name of a series or multi-volume set in which the book is published.

title: The work's title. The capitalization of the title depends on the bibliography style. In `usbib` book titles are capitalized while articles are not. The text in the fields `title` and `booktitle` should be written in the capitalized from so that `BIBTEX` can change it to lower case as required. Word that are always to be capitalized, such as proper nouns, must be enclosed in braces. It is sufficient to enclose only the first letter that must be capitalized:

```
title = {The {G}iotto Mission to Comet {H}alley}
```

Care must be taken with specific language rules for non-English titles such German titles.

type: The type of a technical report—for example, “Research Note”.

url: The *universal resource locator*, or Internet address, for online documents. This is not standard but is supplied by `usbib`. The URL address is set in a typewriter font and often leads to line-breaking problems. It is advisable to load the `url` package of Donald Arseneau, which allows typewriter text to be broken at punctuation marks. The URL addresses are set with the `\url` command in this package, but if it is not loaded, then `\ur1` is defined to be `\texttt{t}`, with no line breaks.

volume: The volume of a journal or multivolume book.

year: The year of publication or, for an unpublished work, the year it was written. Generally it should consist of four numerals, such as 1984, although the standard styles can handle any `year` whose last four nonpunctuation characters are numerals, such as ‘(about 1984)’ or 1980–1987