

Sample Document using the glossaries Package

Nicola Talbot

January 19, 2017

Abstract

This is a sample document illustrating the use of the `glossaries` package. In this example, a new glossary type called `notation` is defined, so that the document can have a separate glossary of terms, list of acronyms and index of notation.

Contents

Glossary	ii
Acronyms	iii
Notation	iv
1 Introduction	1
2 Another Chapter	2

Glossary

cardinality The number of elements in the specified set. 1

set A collection of distinct objects. 1

Acronyms

AD axiom of determinacy. [1](#), [2](#)

NF new foundations. [1](#), [2](#)

ZFC Zermelo-Fraenkel set theory. [1](#), [2](#)

Notation

\mathcal{S} A set. 1

\emptyset The empty set. 1, 2

$|\mathcal{S}|$ cardinality of \mathcal{S} . 1

Chapter 1

Introduction

Sets are denoted by a calligraphic font e.g. \mathcal{S} .

The **cardinality** of a set \mathcal{S} is denoted $|\mathcal{S}|$. The empty set is denoted \emptyset .

Here are some acronyms: **new foundations (NF)**, **Zermelo-Fraenkel set theory (ZFC)** and **axiom of determinacy (AD)**.

Chapter 2

Another Chapter

Another mention of the empty set \emptyset .

Here are the acronyms again: **NF**, **ZFC** and **AD**.